

## **CURRICULUM VITAE**

**SCOTT G. FOXMAN, M.D.**  
**Retinal and Ophthalmic Consultants, P.C.**

---

### **OFFICE LOCATIONS:**

1500 Tilton Road, Northfield, NJ 08225

2466 East Chestnut Avenue, Vineland, NJ 08361

211 South Main Street, Cape May Court House, NJ 08210

### **PROFESSIONAL EXPERIENCE:**

1986 - Present      Founder, President  
Retinal and Ophthalmic Consultants, P.C.

### **EDUCATION:**

1973 - 1979      B.A. Boston University Medical Honors Program  
Boston University

1975 - 1979      M.D. Boston University Medical Honors Program  
Boston University

### **POSTDOCTORAL RESEARCH:**

1979              National Eye Institute

### **POSTGRADUATE TRAINING AND FELLOWSHIP APPOINTMENTS:**

1979 - 1980      Intern in Medicine  
Jackson Memorial Hospital

1980 - 1983      Resident in Ophthalmology  
University of Minnesota, Minneapolis

1983 - 1985      Fellowship, Vitreoretinal Diseases  
Jules Stein Eye Institute, UCLA  
Los Angeles, California

### **FACULTY APPOINTMENTS:**

1983 - 1985      Visiting Lecturer  
Jules Stein Eye Institute  
University of California

1986 - Present      Courtesy  
Scheie Eye Institute

University of Pennsylvania School of Medicine

1986 - 1996 Associate Attending Ophthalmologist  
Division of Ophthalmology  
AtlantiCare Regional Medical Center

1997 - Present Chief, Division of Ophthalmology  
AtlantiCare Regional Medical Center

1986 - Present Assistant Attending Ophthalmologist  
Division of Ophthalmology  
Shore Memorial Hospital

**SPECIALTY CERTIFICATION:**

1979- Diplomat of the National Board of Medical Examiners

1984 - Diplomat of the American Board of Ophthalmology

**LICENSURE:** Pennsylvania, New Jersey

**AWARDS AND HONORS:**

NJ Top Docs 2017 and 2018 - 2019  
Marquis Who's Who 2017 - 2019

**PROFESSIONAL SOCIETIES:**

National Societies

American Society of Retinal Specialists  
American Academy of Ophthalmology  
American Medical Association  
Association for Research in Vision and Ophthalmology  
American Board of Ophthalmology

Local Societies

Medical Society of New Jersey  
Medical Society of Atlantic County  
Academy of Medicine of New Jersey  
New Jersey Academy of Ophthalmology  
Retina Society of New Jersey

**CLINICAL STAFF APPOINTMENTS:**

AtlantiCare Regional Medical Center  
Shore Memorial Hospital  
Scheie Eye Institute

## **ACADEMIC APPOINTMENTS:**

University of Pennsylvania, Courtesy Staff

## **BOARD POSITIONS:**

Past President, Atlantic County Medical Society  
Past President, Lions Club Vision Care Center

## **CHARITABLE POSITIONS:**

Chairman, Leukemia Lymphoma Regatta, 2015  
Co-Chairman, Leukemia Lymphoma Regatta, 2017

## **EDITORIAL POSITION:**

Past Business Editor, American Society of Retina Specialists

**RESEARCH:** Principal and/or Sub-Investigator in over 35 National Clinical Studies

### **Amgen 20170542 – Sub Investigator**

Amgen Inc. and Parexel International LLC  
February 2020 – Present

A Randomized, Double-masked, Phase 3 Study of ABP938 Efficacy and Safety Compared to Aflibercept (Eylea) in Subjects with Neovascular Age-related Macular Degeneration.

### **PANDA KHB-1802 – Sub-Investigator**

Syneos Health, LLC  
October 2019 – Present

A Multicenter, Double-Masked, Randomized, Dose-Ranging Trial to Evaluate the Efficacy and Safety of Conbercept Intravitreal Injection in Subjects with Neovascular Age-related Macular Degeneration.

### **SAGA ALK001-P3001 – Sub-Investigator**

Alkeus Pharmaceuticals, Inc.  
October 2019 – Present

A Phase 2/3 Multicenter, Randomized, Double – masked, Parallel – group, Placebo- controlled Study to Investigate the Safety, Pharmacokinetics, Tolerability and Efficacy of ALK-001 in Geographic Atrophy Secondary to Age – related Macular Degeneration.

### **Yosemite GR40349 – Principal Investigate**

F. Hoffmann-La Roche Ltd  
July 2018 – Present

Phase III, Multicenter, Randomized, Double-Masked, Active-Controlled Study to Evaluate the Efficacy and Safety of R06867461 in Patients with Diabetic Macular Edema

**Aerpio AKB-9778-CI-5001 – Sub-Investigator**

Aerpio Therapeutics LLC  
August 2017 – Present

Phase III Double-Masked, Placebo-Controlled Study to Assess the Safety and Efficacy of Subcutaneously Administered AKB-9778 15MG Once Daily or 15MG Twice Daily for 12 Months in Patients with Moderate to Severe Non-Proliferative Diabetic Retinopathy.

**Omaspect Extension Study of Spectri GX30191 – Principal Investigator**

F. Hoffman-La Roche Ltd  
March 2017 – Present

A Multicenter, Open-Label Extension Study to Evaluate the Long-Term Safety and Tolerability of Lampalizumab in Patients with Geographic Atrophy Secondary to Age-Related Macular Degeneration Who Have Completed a Roche-Sponsored Study.

**TOGA-01 Phase II/III – Principal Investigator**

University of Virginia Department of Ophthalmology  
February 2017 – Present

A Randomized, Double Masked, Placebo-Controlled Study Evaluating ORACEA® in Subjects with Geographic Atrophy Secondary to Non-Exudative Age-Related Macular Degeneration.

**MAKO-OHR-1601 / Chiltern Study Code No. 35544 – Sub-Investigator**

OHR Pharmaceutical, Inc.  
June 2016 – July, 2017

Phase III Study of the Efficacy and Safety of Squalamine Lactate Ophthalmic Solution, 0.2% Twice Daily in Subjects with Neovascular Age-Related Macular Degeneration.

**Capella R2176-3-AMD-1417 – Sub-Investigator**

Regeneron  
September 2015 – September 2016

A Phase 2, Double-Masked, Randomized, Controlled, Multiple-Dose, Regimen-Ranging Study of the Efficacy and Safety of Intravitreal REGN2176-3 in Patients with Neovascular Age-Related Macular Degeneration.

**Spectri GX29185 – Principal Investigator**

F. Hoffman-La Roche Ltd  
August 2014 – Present

A Phase III, Multicenter, Randomized, Double-Masked, Sham-Controlled Study to Assess the Efficacy and Safety of Lampalizumab Administered Intravitreally to

Patients with Geographic Atrophy Secondary to Age-Related Macular Degeneration.

**SCORE2 – Sub-Investigator**

National Eye Institute, National Institutes of Health, Department of Health and Human Services  
March 2014-2015

Study of Comparative Treatments for Retinal Vein Occlusion 2 (SCORE2): A Multicenter, Prospective, Randomized, Phase III Non-Inferiority Trial of Eyes with Macular Edema Secondary to Central Retinal Vein Occlusion, Comparing Intravitreal Bevacizumab Every 4 Weeks Versus Intravitreal aflibercept Every 4 Weeks.

**ORBIT TG-MV-018 – Sub-Investigator**

ThromboGenics, Inc.  
February 2014-2015

A Multicenter, Prospective, Observational Phase 4 Study That Will Assess Clinical Outcomes and Safety of Jetea Administered in a Real-World Setting for the Treatment of Symptomatic Vitreomacular Adhesion (VMA) by Assessing Anatomical and Functional Outcomes in 1500 Patients Recruited Across Approximately 120 USA Retina Sites.

**Eclipse OPH1002A – Principal Investigator**

Ophthotech Corp  
September 2013 – August 2016

A Phase III Randomized, Double-Masked, Controlled Trial to Establish the Safety and Efficacy of Intravitreal Administration of Fovista (Anti PDGF-B Pegylated Aptamer) Administered in Combination with Lucentis Compared to Lucentis Monotherapy in Subjects with Subfoveal Neovascular Age-Related Macular Degeneration.

**BAM 114341 – Sub-Investigator**

Glaxo Smith Kline  
March 2013-2015

A Phase II Multicenter, Randomized, Double-Masked, Placebo-Controlled, Parallel-Group Study to Investigate the Safety, Tolerability, Efficacy, Pharmacokinetics and Pharmacodynamics of GSK933776 in Adult Patients with Geographic Atrophy (GA) Secondary to Age-Related Macular Degeneration (AMD).

**VGFTe-AMD-1124 – Sub-Investigator**

Regeneron  
January 2013-2014

An Open-Label Study of the Efficacy, Safety and Tolerability of Intravitreal Administration of VEGF Trap-Eye (Intravitreal Aflibercept Injection) in Patients with Neovascular Age-Related Macular Degeneration.

**PROTOCOL S – Sub-Investigator**

DRCR.net

July 2012-Present

Prompt Panretinal Photocoagulation versus Intravitreal Ranibizumab with Deferred Panretinal Photocoagulation for Proliferative Diabetic Retinopathy

**Protocol V - Sub-Investigator**

DRCR.net

July 2012-Present

Treatment for Central Involved Diabetic Macular Edema in Eyes with Very Good Visual Acuity

**VIBRANT – Sub-Investigator**

Regeneron

June 2012-2013

Protocol: VGFT e-RVO -1027

A Double-Masked, Randomized, Active-Controlled Study of the Efficacy, Safety and Tolerability of Intravitreal Administration of VEGF Trap-Eye (Intravitreal Aflibercept Injection(IAI) in Patients with Macular Edema Secondary to Branch Retinal Vein Occlusion

**SAKURA-Principal Investigator**

Santen Incorporated

2011-2013

Protocol No. 32-007:

A Phase III, Multinational, Multi-Center, Randomized, Double-Masked Study Assessing the Safety and Efficacy of Intravitreal Injections of DE-109 (three doses) for the Treatment of Active, Non-Infectious Uveitis of the Posterior Segment of the Eye.

**VISTA – Sub-Investigator**

Regeneron

2011-2013

VGFT-OD-1009

A Double-Masked, Randomized, Active-Controlled Phase 3 Study of the Efficacy and Safety of Intravitreal Administration of VEGF Trap-Eye in Patients with Diabetic Macular Edema. PAREXEL #201601

**SHORE-Principal Investigator**

Genentech

2011-2013

BB-IND 8633-Protocol FVF4967g:

A Multi-Center Randomized Study Evaluating Dosing Regimens for Treatment with Intravitreal Ranibizumab Injections in Subjects with Macular Edema Following Retinal Vein Occlusion.

**VIEW 1 EXTENSION - Sub-Investigator**

Regeneron

2010-2012

Protocol: VGFT-OD-0910

Open-label, long-term, safety and tolerability extension study of intravitreal VEGF Trap-Eye in neovascular age-related macular degeneration

**NAION - Principal Investigator**

Covance

2009-Present

Protocol: 12912

Prospective case crossover study to assess whether PDE5 inhibitor exposure in men with erectile dysfunction increases the risk for the development of non-arteritic anterior ischemic optic neuropathy (NAION).

**COPERNICUS - Sub-Investigator**

Regeneron

2009-April 2012

Protocol: VGFT-OD-0819

Randomized, double-masked, controlled phase III study of the efficacy, safety and tolerability of repeated administration of VEGF Trap-Eye in subjects with macular edema secondary to central retinal vein occlusion (CRVO).

**HARBOR - Principle Investigator**

Genentech

2009-2012

Protocol: FVF4579G

Phase III, double-masked, multi-center, randomized, active treatment, controlled study of the efficacy and safety of 0.5 mg and 2.0 mg Ranibizumab; administered monthly or on an as-needed basis (PRN) in patients with subfoveal neovascular age-related macular degeneration.

**RISE - Principal Investigator**

Genentech

2008-2012

Protocol: FVF4170G

Three-year multi-center study with monthly visits for patients with diabetic macular edema comparing Lucentis with Standard of Care Laser treatments.

**CRUISE-Principal Investigator**

Genentech  
2008-2010  
Protocol: FVF41669

One-year multi-center study with monthly visits comparing Lucentis to sham procedure for patients with central retinal vein occlusion.

**DAVINCI - Sub-investigator**

Regeneron  
2008-2010  
Protocol: VGFT-OD-0706

A double-masked, randomized, controlled study of the safety, tolerability and biological effect of repeated intravitreal administration of VEGF Trap-Eye in patients with diabetic macular edema (DME).

**HORIZON - Principal Investigator**

Genentech  
2008-2010  
Protocol: FVF3426G

An open-label, multicenter extension study to evaluate the safety and tolerability of ranibizumab in subjects with choroidal neovascularization (CNV) secondary to age-related macular degeneration (AMD) or macular edema secondary to retinal vein occlusion (RVO) who have completed a Genentech-sponsored ranizumab study.

**VIEW1 - Sub-Investigator**

Regeneron  
2007-2010  
Protocol: VGFT-OD-0605

Two-year multi-center study with monthly visits comparing VEGF-Trap against Lucentis for patients with newly-diagnosed age-related macular degeneration.

**SIRIUS - Sub-Investigator**

Allergan  
2006-2008  
Protocol: 211745-001-01

Two-year multi-center study comparing Sirna against Lucentis for age-related macular degeneration

**NOTAL VISION HMP-V4 - Sub-Investigator**

Notal Vision  
2006-2007  
Protocol: 20071801

Sensitivity of the Home Macular Perimeter (HMP) in detection of choroidal neovascularization (CNV) secondary to age-related macular degeneration (ARMD).

**SAILOR-Principal Investigator**

Genentech, Inc.  
2003-2007  
Protocol: FVF3689G

One-year multi-center study to evaluate the safety and tolerability of Lucentis in newly-diagnosed and previously-treated subjects with age-related macular degeneration.

**Visudyne Photodynamic Therapy - Sub-Investigator**

Ciba Vision  
1999-2000

Clinical Investigator for Visudyne Photodynamic Therapy study.

**Flibanserin - Sub-Investigator**

University of Pennsylvania and Boehringer Ingelheim (BI Trial No. 1997-1998)

Eight-week, double-blind, placebo-controlled Phase II study of various doses of flibanserin and paroxetine in patients with Major Depressive Disorder. Our role was to perform ophthalmic examinations to evaluate for potential ocular complications and side effects.

**Pioglitazone - Sub-Investigator**

Takeda America, Inc.  
1996

A double-blind placebo-controlled, randomized, dose-titration study to evaluate the safety and efficacy of pioglitazone, an oral hypoglycemic agent. Our role was to perform retinal examinations and evaluate retinal photographs for evidence of diabetic retinopathy.

**Adefovir Dipivoxil (bis-POM PME A) - Sub-Investigator**

NJCRI  
1996-1997

A placebo-controlled study of the safety and efficacy of adefovir dipivoxil (bis-POM PME A) in prolonged survival of HIV-infected individuals with a CD4+ cell count of  $\leq 100/\text{mm}^3$ . Our role was for ophthalmic evaluation with emphasis on the presence or absence of CMV retinitis.

**Silicone Oil - Principal Investigator**

Richard James Corporation  
1993-1996

Principal Investigator. Clinical investigation as to the utility and safety of silicone oil injection in the vitreous cavity for patients with complicated retinal detachment. Our role was to provide patient care including vitreoretinal surgery.

**Perfluorocarbon Liquid - Principal Investigator**

Retinal and Ophthalmic Consultants, P.C.  
1992-1996

Clinical investigation as to the utility and safety of intra-operative use of perfluorocarbon liquid into the vitreous cavity during surgical reattachment of the retina.

**Sulfur hexafluoride and Perfluoropropane - Sub-Investigator**

Retinal and Ophthalmic Consultants, P.C.  
1989-1994

Clinical investigation as to the utility and safety of long-acting gases in the repair of retinal detachments.

**Diabetic Retinopathy**

National Institutes of Health  
Early Treatment of Diabetic Retinopathy Study (ETDRS)  
1984-1985

Dr. Scott Foxman was investigator in landmark national collaborative randomized trial of laser treatment for diabetic retinopathy.

**PUBLICATIONS:**

Original Papers

Ballantine, E., Foxman, S., Gorden, P., Rogh, J.: Rarity of Diabetic Retinopathy in Patients with Acromegaly. Arch. Intern. Med. 1981; 141:1625-1627.

Foxman, S., Cameron, J.D.: The Clinical Implications of Bilateral Microphthalmos with Cyst: Report of a Fatal Case. Am. J. Ophthalmol. 1984; 97:632-638.

Foxman, S., Heckenlively, J., Bateman, J., Wirtschafter, J.: A Classification of Congenital and Early Onset Retinitis Pigmentosa. Arch. Ophthalmol. 1985; 103:1502-1506.

Foxman, S., Heckenlively, J., Sinclair, S.: Pigmented Paravenous Retinochoroidal Atrophy and Rubeola Retinopathy. Am. J. Ophthalmol. 1985; 99:605-606.

Fishman, M., Kerman, B., Foxman, S.: Intraocular Cysticercus: Migratory. Ossonig, K. (ed): Proceedings of the 10<sup>th</sup> SIDUO Congress, Netherlands, W. Junk, 1986.

Heckenlively, J., Foxman, S., Parelhoff, E.: Retinal Dystrophy and Macular Coloboma. *Doc Ophthalmol.* 1988;68:257-271.

Shields, J., Perez, N., Shields, C., Foxman, S., Foxman, B.: Simultaneous Choroidal and Brain Metastasis as Initial Manifestations of Lung Cancer. *Ophthalmic Surgery and Lasers.* 2002;35:323-325.

Foxman, S.: Finding the right fit: Considerations on both sides of the employment process. *Retina Times.* 2006;24:25-27.

Foxman, S.: Office Administrator: The guide of your practice's success. *Retina Times.* 2006;24:47-51.

Ferencz L, Lang J, Yeshurn I, Pollack A, Siegel R, Lifshitz T, Karp J et al. Toward earlier detection of choroidal neovascularization secondary to age-related macular degeneration. *Retina.* 2010 March.

Brown DM, Campochiaro PA, Singh RP, Li , Gray S, Saroj N, Rundle AC, Rubio RG, Murahashi WY; CRUISE Investigators. Ranibizimab for macular edema following central retinal vein occlusion: Six month primary end-point results of phase III study. *Ophthalmology.* 2010 June; 117(6):1125-1133.e1.